Maverick Oxygen & Respiratory Equipment, LLC

Advanced Pap Order Form

BiPAP Auto SV Advanced and VPAP-Adapt ASV

Fax to 502-225-4772

Step 1: Complete the box below corresponding to your desired equipment:

Respironics BiPAP	Auto SV Advance	ed:		
EPAPmin:	EPAPmax:	PSmin: PSmax:	Max Press	ure:
Rate:				
R				
Resmed VPAP Ada	pt ASV			
EPAP: Min PS:	Max PS:			
ep 2: Check the boxes c	orresponding to addit	tional equipment requested:		
ep 2: Check the boxes c			Full Face Mack	
ep 2: Check the boxes c	orresponding to addit	Interface/Mask:	Full Face Mask	
ep 2: Check the boxes c		Interface/Mask:	Full Face Mask Small	
ep 2: Check the boxes c	<u>Nasal Mask</u>	Interface/Mask: Select both mask		
ep 2: Check the boxes c	Nasal Mask Small	Interface/Mask:	☐ Small	
	Nasal Mask Small Medium Large	Interface/Mask: Select both mask	□ Small□ Medium□ Large	ay delivery
ep 3: Fill out the follow	Nasal Mask Small Medium Large ing information in its o	Interface/Mask: Select both mask style and size	☐ Small ☐ Medium ☐ Large EST. cut-off for next da	
ep 3: Fill out the follow Patient Name: _	Nasal Mask Small Medium Large ing information in its of	Interface/Mask: Select both mask style and size entirety and fax to us- There is a 3pm	☐ Small ☐ Medium ☐ Large EST. cut-off for next da	
Patient Name: _ Facility Name: _	Nasal Mask Small Medium Large ing information in its	Interface/Mask: Select both mask style and size entirety and fax to us- There is a 3pm Room #:Contact Name:	☐ Small ☐ Medium ☐ Large EST. cut-off for next da	
Patient Name: _ Facility Name: _ Contact Phone #	Nasal Mask Small Medium Large ing information in its of	Interface/Mask: Select both mask style and size entirety and fax to us- There is a 3pm Room #:	☐ Small ☐ Medium ☐ Large EST. cut-off for next da	

Please Note: The box that corresponds with the requested ventilation mode must be filled out in its entirety. A single blank space will prohibit the setting of the machine, delay your order and require you to consult with the practitioner for complete settings.

Form: MAVAVDPAPORD2017